

Master List of Drug List U.P. District Hospital Male Hardoi

| | | |
|--------|------|---|
| NOTE 1 | ESI | DRUG AVAILABLE IN ESI RATE CONTRACT VALID UPTO 31-10-2009 WIDE ESI NO U-25/12/130/07-MEDICINE-V DATED 5-11-2007 |
| | CMSD | CMSD RATE CONTRACT AVAILABLE WIDE 8F/RC/505(M)/2008-09/11026 DATED 30-11-2008 |
| CAT | | <u>CATEGORY/LEVEL OF HOSPITAL USE</u> |
| NOTE 2 | A | Tertiary Care Hospital (Balrampur Hospital, Lko Dr. RML Hosp Lko, Dr SPM Hosp, UHM Hosp) |
| | B | All District Hospital (Male & Female) |
| | C | CHC+Jail Hospitals+Police Hospitals |
| | U | PHC |
| | S | Specialized Centers (Cornary Care, Nephrology, Urology, Psychiatry, Oncology, Neuro Surgery, |
| | F | All Centers where Deliveries are being conducted |

fclnq3 W/Vz

21 vDVej] 2011 l s20 uoEcj] 2011

ftyk pfdRLky;] gjnkbz ds i R; cl ekg ds vlr eamiyC/k vkskf/k; ki , oaekg eami ; ksx dh xbz vkskf/k; ka dh l ph

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vlr eamiyC/k vkskf/k dh ek=k | ekg ea iz ksx dh x; h vkskf/k dh ek=k | nj | ekg ds vlr eamiyC/k vkskf/k dh /kujkf' k (4x6=7) |
|---------------------------------|----------------|---|-------------------------------------|---------------------------------------|-------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| | GROUP 1 | ANALGESICS, ANTIPYRETICS & ANTI-INFLAMMATORY DRUGS | | | | |
| 1 | 1 | Tab Diclofenac Sodium 50 mg. | 24350 | 64000 | 0.78 | 18944.30 |
| 1 | 1 | Tab Diclofenac Sodium SR 100 mg. | 0 | 0 | 0.00 | 0.00 |
| 2 | 1 | Inj Diclofenac Sodium | 150 | 1100 | 2.70 | 405.00 |
| 3 | 1 | Ibuprofen 400 mg. | 47120 | 0 | 0.38 | 17670.00 |
| 3 | 1 | Ibuprofen 200 mg. | 4210 | 0 | 0.20 | 833.58 |
| 4 | 1 | Tab Nimesulide 200 mg. | 0 | 0 | 0.00 | 0.00 |
| 5 | 1 | Tab Paracetamol | 175890 | 82000 | 0.19 | 33419.10 |
| 6 | 1 | Syrup Paracetamol | 0 | 1200 | 7.40 | 0.00 |
| 7 | 1 | Tab Etoricoxib | | | | 0.00 |
| 8 | 1 | Inj. Paracetamol | 2420 | 1200 | 1.20 | 2904.00 |
| 9 | 1 | Inj. Pentazocine Lactate | 1812 | 500 | 2.84 | 5146.08 |
| 10 | 1 | Cap Tramadol Hydrochloride | 0 | 0 | 0 | 0.00 |
| 11 | 1 | Inj Tramadol Hydrochloride | 0 | 0 | 0 | 0.00 |
| 12 | 1 | Tab Asprin Enteric coated/dispersible 75 mg. | 0 | 0 | 0 | 0.00 |
| 12A | 1 | Tab Asprin Enteric coated/dispersible 150 mg. | 86220 | 40000 | 0.31 | 26728.20 |
| 12A | 1 | Tab Asprin 150 mg. | 0 | 0 | 0.37 | 0.00 |
| 13 | 1 | Inj. Aceclofenac | | | | 0.00 |
| 14 | 1 | Tab Aceclofenac | | | | 0.00 |
| | GROUP 2 | ANABOLICS | | | | 0.00 |
| 15 | 2 | Inj. Nandrolone Phenyl Propionate | | | | 0.00 |
| | GROUP 3 | ANTACIDS | | | | 0.00 |
| 16 | 3 | Tab Aluminium Hydroxide | 98800 | 25000 | 0.139 | 13733.20 |
| 16 | 3 | Antacid gel | 0 | 0 | 0 | 0.00 |
| 17 | 3 | Cap Omeprazole | 8500 | 2000 | 0.406 | 3451.00 |
| 18 | 3 | Tab Ranitidine Hydrochloride 300 mg. | 311140 | 2000 | 0.43 | 133479.06 |
| 18a | 3 | Tab Ranitidine Hydrochloride 150 mg. | 63110 | 0 | 0.27 | 16913.48 |
| 19 | 3 | Inj. Ranitidine Hydrochloride | 11500 | 1500 | 2.20 | 25300.00 |
| 20 | 3 | Tab Pentaprozole | 3750 | 2500 | 0.379 | 1421.25 |
| 20A | 3 | Inj. Pentaprozole | 276 | 0 | 7.49 | 2067.24 |
| 20 | 3 | Tab Rabiprozole | 0 | 0 | 0.00 | 0.00 |
| | GROUP 4 | ANTISPASMODICS & INTESTINAL MOTILITY MODIFIERS | | | | 0.00 |
| 21 | 4 | Tab Dicyclomine Hydrochloride | 0 | 0 | 0.38 | 0.00 |
| 21 | 4 | Inj. Dicyclomine Hydrochloride | 0 | 0 | 0 | 0.00 |
| 22 | 4 | Cap Mefenamic Acid | | | | 0.00 |
| 23 | 4 | Inj. Drotaverine Hydrochloride | 500 | 1000 | 4.98 | 2490.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vlr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vlr ea mi yC/k vkskf/k dh /kujkf'k (4x6=7) |
|---------------------------------|----------------|--|--------------------------------------|--------------------------------------|-------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 23 | 4 | Inj. Hyoscine Butyl Bromide | 0 | 0 | 0 | 0.00 |
| 23 | 4 | Tab. Hyoscine Butyl Bromide | 0 | 0 | 0 | 0.00 |
| 23A | 4 | Inj. Sodium Bi Carbonate | 0 | 0 | 0.00 | 0.00 |
| 23A | 4 | Syp. Sucralfate 200 ml. | 0 | 0 | 0 | 0.00 |
| | GROUP 5 | ANTIBACTERIAL, ANTIFUNGAL, ANTIVIRAL & ANTIANAEROBICS INCLUDING | | | | 0.00 |
| 24 | 5 | Cap Amoxicillin Trihydrate + Cloxacillin | 0 | 0 | 0 | 0.00 |
| 24 | 5 | Cap Amoxicillin 500 mg. | 24840 | 38000 | 1.44 | 35744.76 |
| 24 | 5 | Cap Amoxicillin 250 mg. | 0 | 42140 | 0.73 | 0.00 |
| 25 | 5 | Amoxicillin For Oral Suspension (Dry Syrup) | 954 | 300 | 7.65 | 7298.10 |
| 26 | 5 | Inj. Amoxicillin Sodium | | | | 0.00 |
| 27 | 5 | Inj. Amikacin Sulphate 250 mg. | 3000 | 0 | 4.45 | 13350.00 |
| 27 | 5 | Inj. Amikacin Sulphate 500 mg. | 5560 | 1500 | 6.11 | 0.00 |
| 28 | 5 | Inj. Benzathine Penicillin Sodium | 0 | 0 | | 0.00 |
| 29 | 5 | Inj. Cefotaxime Sodium 1 g,m. | 3000 | 0 | 17.20 | 51600.00 |
| 30 | 5 | Inj. Ceftriaxone Sodium 1 gm. | 500 | 530 | 11.56 | 5780.00 |
| 30 | 5 | Inj. Ceftriaxone Sodium 250 mg. | 0 | 300 | 6.70 | 0.00 |
| 31 | 5 | Tab Cefuroxime Axetil 500 mg. | 12940 | 1300 | 7.35 | 95109.00 |
| 31 | 5 | Tab Cefuroxime Axetil 250 mg. | 20050 | 0 | 3.99 | 79939.35 |
| 32 | 5 | Inj. Ceftazidime 1gm. | 1030 | 0 | 20.81 | 21434.30 |
| 32A | 5 | Inj. Ceftazidime 250 mg. | 497 | 0 | 7.53 | 3742.41 |
| 33 | 5 | Tab Ciprofloxacin Hydrochloride 250 mg. | 0 | 0 | 0.50 | 0.00 |
| 33 | 5 | Tab Ciprofloxacin Hydrochloride 500 mg. | 98250 | 7000 | 1.15 | 112987.50 |
| 34 | 5 | Inj. (IV) Ciprofloxacin 100ml. | 368 | 725 | 7.27 | 2675.36 |
| 35 | 5 | Syp Cefadroxil | 500 | 0 | 8.15 | 4075.00 |
| 36 | 5 | Tab Cefadroxil 250 mg. | 200 | 0 | 0.00 | 0.00 |
| 36 | 5 | Tab Cefadroxil 500 mg. | 5500 | 0 | 1.84 | 10114.50 |
| 37 | 5 | Inj. (IM, IV) Cefoperazone Sodium 500 mg | 0 | 0 | 0 | 0.00 |
| 37A | 5 | Inj. Cefataxim 250 mg. | 0 | 0 | 5.62 | 0.00 |
| 37A | 5 | Inj. Cefatraxon 500 mg. | 0 | 0 | 7.15 | 0.00 |
| 38 | 5 | Cap Doxycycline Hydrochloride 200 mg. | 0 | 0 | 0.94 | 0.00 |
| 38A | 5 | Cap Doxycycline Hydrochloride 100 mg. | 11140 | 24000 | 0.52 | 5792.80 |
| 39 | 5 | Erythromycin Estolate Syrup/Suspension | 1050 | 0 | 19.00 | 19950.00 |
| 40 | 5 | Inj. Gentamycin Sulphate 80 mg. | 8800 | 5900 | 2.80 | 24640.00 |
| 41 | 5 | Tab Norfloxacin | 5300 | 3000 | 0 | 0.00 |
| 42 | 5 | Tab Ofloxacilline 200 mg | 22340 | 4000 | 0.50 | 11102.98 |
| 42 | 5 | Tab. Ofloxacilline 400 mg. | 58290 | 4000 | 1.10 | 64119.00 |
| 42 | 5 | Syp. Ofloxacilline | 0 | 0 | 0 | 0.00 |
| 43 | 5 | Tab Erthromycin 250 mg. | 11700 | 2280 | 1.208 | 14133.60 |
| 44 | 5 | Suspension Containing :Trimethoprim | 250 | 500 | 8.20 | 2050.00 |
| 45 | 5 | Tablet Containing : Trimethoprim SulphamethoxazoleDS | 7000 | 0 | 0.78 | 5446.00 |
| 45A | 5 | Tablet Containing : Trimethoprim SulphamethoxazoleSS | 0 | 5000 | 0.40 | 0.00 |
| 46 | 5 | Tab Fluconazole 150 mg. | 27300 | 1000 | 0.00 | 0.00 |
| 47 | 5 | Tab Acyclovir 800 mg. | 1700 | 0 | 2.33 | 3961.00 |
| 48 | 5 | Inj. (IM/IV) Lincomycin Hydrochloride | | | | 0.00 |
| 49 | 5 | Inj. (IV) Metronidazole | 1575 | 581 | 5.27 | 8300.25 |
| 50 | 5 | Tab. Amoxicillin Trihydrate Clavulanic Acid 375 mg | 2609 | 200 | 4.15 | 10824.74 |
| 50 | 5 | Tablet Amoxicillin Trihydrate Equivalent To Amoxicillin Clavulanate Potassium Equivalent To Clavulanic Acid DT 228 5mg | 0 | 0 | 0 | 0.00 |
| 51 | 5 | Tab/Cap Cefexime Trihydrate 100mg | 900 | 100 | 1.235 | 1111.50 |
| 51 | 5 | Tab/Cap Cefexime Trihydrate 200mg | 1000 | 0 | 2.35 | 2350.00 |
| 51A | 5 | Tab/Cap Roxithromycin 150mg | 15480 | 2000 | 0.859 | 13297.32 |
| 51A | 5 | Tab/Cap Roxithromycin 300mg | 0 | 0 | 0 | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|---|---------------------------------------|--------------------------------------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 52 | 5 | Tab Levofloxacin 500 mg. | 3000 | 2500 | 1.33 | 3990.00 |
| 53 | 5 | Tab Azithromycin | | | | 0.00 |
| 54 | 5 | Tab Gatifloxacin | | | | 0.00 |
| 55 | 5 | Tab Cefpodoxime 200 mg. | 2700 | 0 | 4.495 | 12136.50 |
| 56 | 5 | Inj. Vanomycin | 0 | 0 | | 0.00 |
| 57 | 5 | Amoxicilline Clavulanic Acid Dry Syrup | 398 | 1200 | 12.73 | 5066.54 |
| 58 | 5 | Inj. Cefpirome | | | | 0.00 |
| 59 | 5 | Inj. Imipenem + cilastatin | 543 | | 311.94 | 169383.42 |
| 59a | 5 | Cap Cephalexin 250 mg. | 16150 | 3000 | | 0.00 |
| 59b | 5 | Cap Cephalexin 500 mg. | 12630 | 0 | 0.11 | 1389.30 |
| | GROUP 6 | ANTICOAGULANTS & ANTITHROMBOTICS | | | | 0.00 |
| 60 | 6 | Inj. Heparin Sodium | 245 | 55 | 99.89 | 24473.05 |
| 61 | 6 | Low Mol Wt. Heparin(enoxaparin) | 70 | 30 | 85 | 5950.00 |
| 62 | 6 | Inj. Streptokinase | 4 | 0 | 542.23 | 2168.92 |
| | GROUP 7 | ANTIEPILEPTICS & ANTICONVULSANTS | | | | 0.00 |
| 63 | 7 | Tab Carbamazepine | 3080 | 700 | 0.46 | 1410.64 |
| 64 | 7 | Tab Clonazepam | | | | 0.00 |
| 65 | 7 | Tab Phenytoin Sodium | | | | 0.00 |
| 66 | 7 | Suspension Phenytoin Sodium | | | | 0.00 |
| 67 | 7 | Inj. Phenytoin Sodium | 300 | 300 | 0 | 0.00 |
| 68 | 7 | Tab Phenobarbitone | 3100 | 0 | 1.70 | 5270.00 |
| 69 | 7 | Syp Phenobarbitone Sodium | 30 | 0 | 17.90 | 537.00 |
| 70 | 7 | Inj. Phenobarbitone Sodium | 0 | 0 | 0 | 0.00 |
| 71 | 7 | Inj. Paraldehyde | | | | 0.00 |
| 72 | 7 | Tab Sodium Valproate | | | | 0.00 |
| | GROUP 8 | ANTI-DIABETICS | | | | 0.00 |
| 73 | 8 | Tab Glibenclamide | 0 | 0 | 0 | 0.00 |
| 74 | 8 | Tab Gliclazide | 0 | 0 | 0 | 0.00 |
| 75 | 8 | Inj. Soluble Human Insulin | 20 | 0 | 145.35 | 2907.00 |
| 76 | 8 | 30% Dissolved Human Insulin 70% Nph Human Insulin | 50 | 0 | 145.55 | 7277.50 |
| 77 | 8 | Tab Metformin 500 mg. | 0 | 0 | 0.00 | 0.00 |
| 77 | 8 | Tab Metformin 1000 mg. | 0 | 0 | 0.00 | 0.00 |
| 78 | 8 | Tab Acarbose | | | | 0.00 |
| 79 | 8 | Tab Pioglitazone | 1700 | 0 | 0.40 | 680.00 |
| 80 | 8 | Tab Glimepride 1 mg. | 500 | 300 | 0.09 | 43.00 |
| 80 | 8 | Tab Glimepride 2 mg. | 0 | 0 | 0.00 | 0.00 |
| | GROUP 9 | ANTI-ALLERGIC, ANTITUSSIVE & EXPECTORANT | | | | 0.00 |
| 81 | 9 | Tab Cetirizine Dihydrochloride/Hydrochloride | 304440 | 47000 | 0.778 | 236854.32 |
| 82 | 9 | Tab Chlorpheniramine Maleate | 0 | 0 | 0.77 | 0.00 |
| 83 | 9 | Inj. Pheniramine Maleate | 138 | 0 | 0 | 0.00 |
| 84 | 9 | Tab Fexofenadine Hydrochloride | 790 | 7000 | 1.33 | 1050.70 |
| 85 | 9 | Syp Codeine Phosphate | 0 | 0 | 0.00 | 0.00 |
| 86 | 9 | Tab Bromhexine Hydrochloride | | | | 0.00 |
| 86A | 9 | Syp. Bromhexine Hydrochloride | 0 | 0 | 0.00 | 0.00 |
| 87 | 9 | Tab Levo-cetrazine | 0 | 35149 | 0.14 | 0.00 |
| | GROUP 10 | ANTHELMINTHICS & ANTI-INFESTIVES | | | | 0.00 |
| 88 | 10 | Tab Albendazole | 39589 | 0 | 0.77 | 30483.53 |
| 88A | 10 | Tab. Livomisole 150 mg. | 0 | 0 | 0.00 | 0.00 |
| 88A | 10 | Tab. Mebendazole | 27000 | 5640 | 0.60 | 16200.00 |
| 89 | 10 | Albendazole Suspension | 3109 | 200 | 4.20 | 13057.80 |
| 90 | 10 | Tab Diethylcarbamazine Citrate | 9000 | 21000 | 0.158 | 1422.00 |
| 91 | 10 | Syp. Piprazine 30 ml. | 50 | 0 | 9.50 | 475.00 |
| | GROUP 11 | ANTILEPROSY DRUGS | | | | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vlrr eami yC/k vKSkf/k dh ek=k | ekg ea iz kx dh x; h vKSkf/k dh ek=k | nj | ekg ds vlrr ea mi yC/k vKSkf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|--|---------------------------------------|--------------------------------------|-------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 92 | 11 | Tab Diaminodiphenyl Sulphone | | | | 0.00 |
| 93 | 11 | Cap Clofazimine | | | | 0.00 |
| 94 | 11 | Cap Rifamycin | | | | 0.00 |
| | GROUP 12 | ANTIMALARIALS | | | | 0.00 |
| 95 | 12 | Tab Chloroquine Phosphate | | | | 0.00 |
| 96 | 12 | Inj. Chloroquine Phosphate | | | | 0.00 |
| 97 | 12 | Tab Mefloquine | | | | 0.00 |
| 98 | 12 | Tab Primaquine Phosphate | 0 | 0 | 0 | 0.00 |
| 99 | 12 | Tablet Containing :Sulphametho Pyrazine Pyrimethamine | | | | 0.00 |
| 100 | 12 | Cap Artemether | | | | 0.00 |
| 101 | 12 | Inj. Arteether | | | | 0.00 |
| 102 | 12 | Syrup Chloroquine Phosphate | | | | 0.00 |
| 103 | 12 | Tab Artesunate | | | | 0.00 |
| 104 | 12 | Inj. Artesunate | | | | 0.00 |
| | GROUP 13 | ANTITUBERCULAR DRUGS | | | | 0.00 |
| 105 | 13 | Tab Ethambutol Hydrochloride | | | | 0.00 |
| 106 | 13 | Tab Isoniazid | | | | 0.00 |
| 107 | 13 | Tab Pyrazinamide | | | | 0.00 |
| 108 | 13 | Tab Pyrazinamide Dispersable | | | | 0.00 |
| 109 | 13 | Cap Rifampicin | | | | 0.00 |
| 110 | 13 | Susp.Rifampicin | | | | 0.00 |
| 111 | 13 | Inj. Streptomycin Sulphate | | | | 0.00 |
| 112 | 13 | Each Kit Containing : Tab Pyrazinamide Hydrochloride+ Isoniazid | Cap Rifampicin Tab Ethambutol | | | 0.00 |
| 113 | 13 | Tablet/Cap Containing: Rifampicin Isoniazid | | | | 0.00 |
| | GROUP 14 | ANTIEMETIC, ANTINAUSEANT & ANTI- VERTIGO, NEUROLOGICAL DRUGS | | | | 0.00 |
| 114 | 14 | Susp. Domperidone | 3734 | 0 | 3.60 | 13442.40 |
| 115 | 14 | Inj. Metoclopramide Hydrochloride | 100 | 900 | 0.00 | 0.00 |
| 116 | 14 | Tab Promethazine Hydrochloride | | | | 0.00 |
| 117 | 14 | Syrup Promethazine Hydrochloride | 2000 | 2100 | 5.78 | 11560.00 |
| 118 | 14 | Inj. Promethazine Hydrochloride | 0 | 0 | 0 | 0.00 |
| 119 | 14 | Tab Betahistine Dihydrochloride | 1000 | 6000 | 0.409 | 409.00 |
| 120 | 14 | Tab Cinnarizine | 11500 | 5500 | 0 | 0.00 |
| 121 | 14 | Tab Ondansetron | | | | 0.00 |
| 122 | 14 | Tablet Containing :Doxyl Amine Succinate + Pyridoxine Hydrochloride | | | | 0.00 |
| 123 | 14 | Inj Ondansetron | | | | 0.00 |
| 124 | 14 | Tab Piracetam | | | | 0.00 |
| 125 | 14 | Tab Levodopa + Carbidopa | | | | 0.00 |
| 126 | 14 | Tab Domperidone | 36590 | 1500 | 0.20 | 7318.00 |
| 127 | 14 | Inj. Piracetam | | | | 0.00 |
| | GROUP 15 | ANTIHYPERTENSIVE, CARDIAC, CARDIO- VASCULAR DRUGS & HYPOLIPIDAEMICS | | | | 0.00 |
| 128 | 15 | Tab Atenolol 50 mg. | 22090 | 1400 | 0.16 | 3534.40 |
| 128A | 15 | Tab. Nifedipine SR 10mg | 0 | 0 | 0 | 0.00 |
| 129 | 15 | Tab Amlodipine Besylate | | | | 0.00 |
| 130 | 15 | Tab Amiodarone Hydrochloride | | | | 0.00 |
| 131 | 15 | Inj. Amiodarone Hydrochloride | | | | 0.00 |
| 132 | 15 | Tab Diltiazem Hydrochloride | 2900 | | 0.475 | 1377.50 |
| 133 | 15 | Inj. Dopamine Hydrochloride | 0 | 0 | 24.60 | 0.00 |
| 134 | 15 | Tab Digoxin | 30 | 0 | 0 | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vlr eami yC/k vKSkf/k dh ek=k | ekg ea iz kx dh x; h vKSkf/k dh ek=k | nj | ekg ds vlr ea mi yC/k vKSkf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|---|--------------------------------------|--------------------------------------|--------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 135 | 15 | Inj. Dobutamine Hydrochloride | | | | 0.00 |
| 136 | 15 | Tab Glyceryl Trinitrate | 100 | 0 | 0 | 0.00 |
| 137 | 15 | Inj. Glyceryl Trinitrate (Nitroglycerine) | 100 | 0 | 15.10 | 1510.00 |
| 138 | 15 | Tab Isosorbide Dinitrate | 120 | 0 | | 0.00 |
| 139 | 15 | Tab Isosorbide-5 Mononitrate | 0 | 0 | 0 | 0.00 |
| 140 | 15 | Tab Losartan Potassium | 0 | 0 | 0 | 0.00 |
| 141 | 15 | Tab Methyldopa | | | | 0.00 |
| 142 | 15 | Tab Metoprolol Tartarate | | | | 0.00 |
| 143 | 15 | Inj. Mephentermine Sulphate | 18 | 0 | 155.00 | 2790.00 |
| 143 | 15 | Clopitab A75 | 200 | 300 | 2.70 | 540.00 |
| 144 | 15 | Cap Ramipril | 500 | 100 | 0 | 0.00 |
| 144 | 15 | Tab Enarpril | 1700 | 400 | 0 | 0.00 |
| 144 | 15 | Tab Lisinopril | 0 | 0 | 0.00 | 0.00 |
| 145 | 15 | Inj. Verapamil Hydrochloride | | | | 0.00 |
| 146 | 15 | Tab Atorvastatin 20 mg. | 7700 | 0 | 0.48 | 3696.00 |
| 146 | 15 | Tab Atorvastatin 10 mg. | 4700 | 0 | 0.27 | 1269.00 |
| 147 | 15 | Inj Lignocane HCL + NaCl | | | | 0.00 |
| 148 | 15 | Inj. Diltiazem Hydrochloride | | | | 0.00 |
| 149 | 15 | Tab Hyderochlorthiazide | | | | 0.00 |
| | GROUP 16 | BRONCHODILATORS & RESPIRATORY STIMULANTS | | | | 0.00 |
| 150 | 16 | Inj. (IV) Aminophylline | 500 | 0 | 0.00 | 0.00 |
| 151 | 16 | Tab Salbutamol Sulphate | 27670 | 0 | 0.13 | 3652.44 |
| 152 | 16 | Inhaler Salbutamol (Aerosol) | 1895 | | 52 | 98540.00 |
| 153 | 16 | S.R. Tablet Containing : Theophylline Etofylline | 46300 | 5000 | 0.00 | 0.00 |
| 153 | 16 | Tab. Containing : Theophylline 400 mg | 0 | 0 | 0.00 | 0.00 |
| 154 | 16 | Injection Containing : Theophylline Etofylline | 0 | 100 | 1.15 | 0.00 |
| 155 | 16 | Inj. Adrenaline Bitartarate (1:1000) | 0 | 50 | 0.00 | 0.00 |
| 156 | 16 | Inj. Doxapram Hydrochloride | | | | 0.00 |
| 157 | 16 | Inhaler Beclomethasone Dipropionate (Aerosol) | | | | 0.00 |
| 158 | 16 | Respiratory Solbutamol solution for Nebulization | | | | 0.00 |
| | GROUP 17 | COAGULANTS | | | | 0.00 |
| 159 | 17 | Inj. Vit-K (Acetomenaphthone) | 8 | 2 | 9.25 | 74.00 |
| 160 | 17 | Tab Ethamsylate 500 mg. | 0 | 0 | 0 | 0.00 |
| 161 | 17 | Inj. (IM/IV) Ethamsylate | 0 | 0 | 0.00 | 0.00 |
| 161A | 17 | Inj. (IM/IV) Tranexamic Acid | 0 | 0 | 0.00 | 0.00 |
| | GROUP 18 | CARCINO-CHEMO THERAPEUTIC DRUGS | | | | 0.00 |
| 162 | 18 | Inj. Cyclophosphamide | | | | 0.00 |
| 163 | 18 | Inj 5-FU | | | | 0.00 |
| 164 | 18 | Inj. Etoposide | | | | 0.00 |
| 165 | 18 | Inj Methotrexate | | | | 0.00 |
| 166 | 18 | Inj Vincristine | | | | 0.00 |
| 167 | 18 | Inj Doxorubicine | | | | 0.00 |
| 168 | 18 | Inj Cisplatinum | | | | 0.00 |
| 169 | 18 | Inj Iphosphamide + Mesna | | | | 0.00 |
| 170 | 18 | Inj Paclitaxel | | | | 0.00 |
| 171 | 18 | Inj Carboplatine | | | | 0.00 |
| 172 | 18 | Inj Docetaxel | | | | 0.00 |
| 173 | 18 | Inj Bleomycin | | | | 0.00 |
| 174 | 18 | Tab Tomoxfen | | | | 0.00 |
| 175 | 18 | Tab Cyclophosphamide | | | | 0.00 |
| 176 | 18 | Tab Hydroxyurea | | | | 0.00 |
| | GROUP 19 | CORTICOSTEROIDS | | | | 0.00 |
| 177 | 19 | Inj. Dexamethasone Sodium Phosphate | 100 | 50 | 2.13 | 213.00 |
| 177B | 19 | Inj. Nikethamide | 110 | 100 | 0.00 | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vKSkf/k dh ek=k | ekg ea iz kx dh x; h vKSkf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vKSkf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|---|---------------------------------------|--------------------------------------|-------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 178 | 19 | Inj. (IM/IV) Hydrocortisone Sodium Succinate | 0 | 50 | 8.40 | 0.00 |
| 179 | 19 | Tab .Prednisolone 10 mg. | 165607 | 1000 | 0.557 | 92243.10 |
| 181 | 19 | Inj Methyl Prednisolone acetate soluble | 90 | 50 | 116 | 10440.00 |
| | GROUP 20 | DIURETICS | | | | 0.00 |
| 182 | 20 | Tab Acetazolamide | | | | 0.00 |
| 183 | 20 | Tab Frusemide | 9040 | 8500 | 0.155 | 1401.20 |
| 184 | 20 | Inj. (IM/IV) Frusemide | 200 | 700 | 1.15 | 230.00 |
| 185 | 20 | Tab Spironolactone + Frusemide | 150 | 0 | 0 | 0.00 |
| 186 | 20 | Tab. Spironolactone | 0 | 0 | 0 | 0.00 |
| 187 | 20 | Tab Indapamide | | | | 0.00 |
| 188 | 20 | Tab Indapamide SR | | | | 0.00 |
| 189 | 20 | Inj. Torsemide | | | | 0.00 |
| | GROUP 21 | DRUGS IN GOUT AND ANTI-RHEUMATICS | | | | 0.00 |
| 189 | 21 | Tab. Allopurinol | | | | 0.00 |
| 190 | 21 | Tab. Leflunomide | | | | 0.00 |
| 191 | 21 | Tab Sulphasalazine | 5890 | 0 | 3.52 | 20726.91 |
| 192 | 21 | Tab Serratiopeptidase | | | | 0.00 |
| 193 | 21 | Tab Hydroxichloroquine sulphate | | | | 0.00 |
| 194 | 21 | Tab Tizanidine + Diclofenace Sodium | 0 | 0 | 0.86 | 0.00 |
| | GROUP 22 | DRUGS USED IN POISONING | | | | 0.00 |
| 195 | 22 | Inj Neostegmine Methyl sulphate | 160 | 100 | 7.50 | 1200.00 |
| 196 | 22 | Inj. Magnesium Sulphate | 200 | 300 | 0 | 0.00 |
| 197 | 22 | Inj Pralidoxime Chloride | | | | 0.00 |
| 198 | 22 | Inj Naloxone Hydrochloride | | | | 0.00 |
| | GROUP 23 | DRUGS IN DIARRHOEA & DYSENTERY | | | | 0.00 |
| 199 | 23 | Inj. Dehydroemetine Dihydrochloride | | | | 0.00 |
| 200 | 23 | Tab Metronidazole | 0 | 0 | 0.00 | 0.00 |
| 201 | 23 | Suspension Containing : Metonidazole Benzoate Equivalent To Metronidazole | 0 | 0 | 0.00 | 0.00 |
| 202 | 23 | Oral Rehydration Salts-Citrate (W.H.O. Formula) | 29840 | 250 | 2.70 | 80568.00 |
| 203 | 23 | IV Tindazole | | | | 0.00 |
| 203 | 23 | Tab. Tindazole 300 mg. | 0 | 0 | 0.00 | 0.00 |
| 203 | 23 | Tab. Tindazole 500 mg. | 69640 | 20000 | 0.00 | 0.00 |
| 203 | 23 | Tab. Furazoladin | 0 | 0 | 0.00 | 0.00 |
| 204 | 23 | Tab Orinadazole | 8000 | 0 | 0 | 0.00 |
| 206 | 23 | Syp. Ofloxacin + Orinidazol | 0 | 0 | 0.00 | 0.00 |
| | GROUP 24 | DRUGS IN GYNAECS & OBSTETRICS | | | | 0.00 |
| 207 | 24 | Tab Allyloestrenol | | | | 0.00 |
| 208 | 24 | Tab Clomiphene Citrate | | | | 0.00 |
| 209 | 24 | Inj Freeze Dried Powder of Human Chorionic Gonadrotophin | | | | 0.00 |
| 210 | 24 | Cap Danazol | | | | 0.00 |
| 211 | 24 | Tab Dydrogesterone | | | | 0.00 |
| 212 | 24 | Tab Ethinyloestradiol | | | | 0.00 |
| 213 | 24 | Tablet Containing : Ethinyloestradiol Norgestrel | | | | 0.00 |
| 214 | 24 | Tablet Containing : Ethinyloestradiol Levonorgestrel | | | | 0.00 |
| 215 | 24 | Inj. Hydroxyprogesterone Caproate | | | | 0.00 |
| 216 | 24 | Inj. (IM, IV, SC) Methylergometrine Maleate | | | | 0.00 |
| 217 | 24 | Tab Methylergometrine Maleate | | | | 0.00 |
| 218 | 24 | Tab Norethisterone | | | | 0.00 |
| 219 | 24 | Inj. Oxytocin | | | | 0.00 |
| 220 | 24 | Tab Conjugated Oestrogens | | | | 0.00 |
| 221 | 24 | Inj. Aqueous Extract Of Fresh Human Placenta | | | | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|--|---------------------------------------|--------------------------------------|-------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 222 | 24 | Tab Ritodrine Hydrochloride | | | | 0.00 |
| 223 | 24 | Inj. Ritodrine Hydrochloride | | | | 0.00 |
| 224 | 24 | Inj. Magnesium Sulphate | | | | 0.00 |
| 225 | 24 | Tab Xantinol Nicotinate | | | | 0.00 |
| 226 | 24 | Inj. Valethamate Bromide | | | | 0.00 |
| 227 | 24 | Inj. Human Anti-D-Immunoglobulin (Polyclonal) | | | | 0.00 |
| 228 | 24 | Inj. Carboprost Tromethamine | | | | 0.00 |
| 229 | 24 | Tab Clotrimazole Vaginal | | | | 0.00 |
| 230 | 24 | Tab Misoprostol | | | | 0.00 |
| 231 | 24 | Cap Micronised Progesteron (Soft gelatin) | | | | 0.00 |
| 232 | 24 | Tab Povidine Iodine vaginal | | | | 0.00 |
| 233 | 24 | Tab Mifepristone | | | | 0.00 |
| | GROUP 25 | EAR, NOSE AND THROAT DRUGS | | | | 0.00 |
| 234 | 25 | Ear Drops Containing :Chloramphenicol Benzocaine | | | | 0.00 |
| 235 | 25 | Ear Drops Containing : Gentamicin Sulphate + Betamethasone | 0 | 0 | 5.00 | 0.00 |
| 236 | 25 | Nasal Drop Xylometazoline 0.1% | 0 | 200 | 4.40 | 0.00 |
| 236A | 25 | Nasal Drop Xylometazoline 0.5% (Pedritric) | 0 | 0 | 0.00 | 0.00 |
| 237 | 25 | Clotrimazole ear drop | 0 | 0 | 0.00 | 0.00 |
| | GROUP 26 | OPHTHALMIC DRUGS | | | | 0.00 |
| 238 | 26 | Eye Drops Ciprofloxacin Hydrochloride | 0 | 0 | 0.00 | 0.00 |
| 239 | 26 | Eye Drops Flurbiprofen Sodium | 4700 | 3000 | 6.66 | 31302.00 |
| 239 | 26 | Eye Drops Naphazoladine | 800 | 3100 | 11.14 | 8912.00 |
| 240 | 26 | Eye Drops Pilocarpine Nitrate | | | | 0.00 |
| 241 | 26 | Sulphacetamide sodium eye drop | | | | 0.00 |
| 242 | 26 | Eye Drops Timolol Maleate | | | | 0.00 |
| 243 | 26 | Methyle Cellulose Solution for Intra Operating use | 0 | 0 | 0 | 0.00 |
| 244 | 26 | Gatifloxacin Eye drop | 6500 | 0 | 12.50 | 81250.00 |
| 245 | 26 | Atropine Eye Ointment | 0 | 0 | 0.00 | 0.00 |
| 246 | 26 | Phenylephrine Eye Drop | | | | 0.00 |
| 247 | 26 | Chloramphenicol Eye applicap | 0 | 0 | 0.00 | 0.00 |
| 247 | 26 | Chloramphenicol Eye Drop | 0 | 0 | 0.00 | 0.00 |
| 248 | 26 | Carboxymethyl Ceullular Eye drop | 900 | 3100 | 26.97 | 24273.00 |
| 249 | 26 | Predenialone Eye Drop | 0 | 0 | 0.00 | 0.00 |
| | GROUP 27 | HYPNOTICS | | | | 0.00 |
| 250 | 27 | Tab Alprazolam | 66000 | 8009 | 0.59 | 38940.00 |
| 251 | 27 | Inj. (IM/IV) Diazepam | 450 | 0 | 0.95 | 427.50 |
| | GROUP 28 | IRON, CALCIUM & ZINC PREPARATIONS | | | | 0.00 |
| 252 | 28 | Tablet Containing :Ferrous Fumarate(Large) Folic acid Vitamin B12 | 123000 | 45000 | 1.25 | 153750.00 |
| 252 | 28 | Tablet Containing : Ferrous Fumarate(Small) Folic acid Vitamin B12 | 0 | 0 | 0.00 | 0.00 |
| 252A | 28 | Cap. Ferrous Fumarate Folic acid | 0 | 0 | 0.00 | 0.00 |
| 252A | 28 | Iron Folic acid Drop | 0 | 0 | 0.00 | 0.00 |
| 253 | 28 | Inj. Iron Dextran | 1800 | 0 | 11.10 | 19980.00 |
| 254 | 28 | Inj. Recombinant Beta-Human Erythropoietin | | | | 0.00 |
| 255 | 28 | Inj. Calcium Glucono-Galacto Gluconate | 450 | 0 | 23.95 | 10777.50 |
| 256 | 28 | Tab Folic Acid | | | | 0.00 |
| 257 | 28 | Inj. Methylcobalamine | | | | 0.00 |
| 258 | 28 | Tab Methylcobalamine | | | | 0.00 |
| 259 | 28 | Cap Alphacalcidol Calcium Carbonate | 0 | 0 | 0.00 | 0.00 |
| 259A | 28 | Calcium Glconet | 0 | 0 | 0.40 | 0.00 |
| 259A | 28 | Calcium Lactate | 2000 | 15000 | 0.18 | 368.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ksx dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|---|---------------------------------------|---------------------------------------|--------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 260 | 28 | Inj. Iron Sucrose (containing Ferric Hydroxide incomplex with sucrose eq. elemental iron 20mg/ml) | | | | 0.00 |
| | GROUP 29 | LAXATIVES, PURGATIVES, LUBRICANTS & | | | | 0.00 |
| 261 | 29 | Tab Bisacodyl (Enteric-Coated) | | | | 0.00 |
| 262 | 29 | Syrup Lactulose | 0 | 0 | 0.00 | 0.00 |
| 263 | 29 | Liquid Paraffin | 0 | 0 | 0.00 | 0.00 |
| 264 | 29 | Enema Glycerine Containing : Glycerine Nacl liquid | 100 | 0 | 17.00 | 1700.00 |
| | GROUP 30 | MUSCULO-SKELETAL RELAXANTS, RUBEFACIENTS & NEURO-MUSCULAR DRUGS | | | | 0.00 |
| 265 | 30 | Ointment Diclofenac Sodium | 2000 | 1411 | 24.60 | 49200.00 |
| | GROUP 31 | PHYCHOTHERAPEUTIC DRUGS INCLUDING | | | | 0.00 |
| 266 | 31 | Tab Amitriptyline Hydrochloride | | | | 0.00 |
| 267 | 31 | Cap Fluoxetine Hydrochloride | | | | 0.00 |
| 268 | 31 | Tab Haloperidol | | | | 0.00 |
| 269 | 31 | Inj. Haloperidol | | | | 0.00 |
| 270 | 31 | Tab Olanzapine | | | | 0.00 |
| 271 | 31 | Tab Trihexyphenidyl Hydrochloride | | | | 0.00 |
| 272 | 31 | Tab Amisulpride | | | | 0.00 |
| 273 | 31 | Tab Risperidone | | | | 0.00 |
| 274 | 31 | Tab Aripiprazole | | | | 0.00 |
| 275 | 31 | Tab Sertraline Hydrochloride | | | | 0.00 |
| 276 | 31 | Tab Tianeptine | | | | 0.00 |
| 277 | 31 | Tab Piribedil | | | | 0.00 |
| 278 | 31 | Tab Escitalopram | | | | 0.00 |
| 279 | 31 | Tab Duloxetine | | | | 0.00 |
| 280 | 31 | Tab Mirtazepine | | | | 0.00 |
| 281 | 31 | Tab Flunarazine | | | | 0.00 |
| | GROUP 32 | VACCINES , SERA, TOXOIDES, IMMUNOGLOBULINS | | | | 0.00 |
| S. No. | Group No | Name of Medicine | | | | 0.00 |
| 282 | 32 | Inj. Tentanus Toxoid | 0 | 0 | 0.00 | 0.00 |
| 283 | 32 | Inj. Anti-Tetanus Immunoglobulin | | | | 0.00 |
| 284 | 32 | Inj. Diphtheria Antitoxin | | | | 0.00 |
| 285 | 32 | Inj. Gas Gangrene Antitoxin | | | | 0.00 |
| 286 | 32 | Anti Rabies Vaccine Intradermal (Rabipur) | 1600 | 200 | 142.00 | 227200.00 |
| 287 | 32 | Inj. Rabies Anti Serum | 0 | 0 | 0.00 | 0.00 |
| 288 | 32 | Live Attenuated Measles Vaccine Schwarz 1000 Tcd ₅₀ | | | | 0.00 |
| 289 | 32 | Genetically Engineered Hepatitis-B Vaccine | 0 | 0 | 0.00 | 0.00 |
| 290 | 32 | Human Normal Immunoglobulin | | | | 0.00 |
| 291 | 32 | Yellow Fever Vaccine | | | | 0.00 |
| 292 | 32 | Inj. Tuberculin Purified Protein Derivative (PPD) | | | | 0.00 |
| 293 | 32 | B.C.G. Vaccine (Freze Dried) | | | | 0.00 |
| 294 | 32 | Diphtheria-Pertussis-Tetanus Vaccine | | | | 0.00 |
| 295 | 32 | Diphtheria Tetanus Vaccine (D.T.) | | | | 0.00 |
| 296 | 32 | Measles-Mumps-Rubella Vaccine (Mmr) | | | | 0.00 |
| 297 | 32 | Measles Vaccine | | | | 0.00 |
| 298 | 32 | Oral Drops Poliomyelitis Vaccine (Live Attenuated) | | | | 0.00 |
| 299 | 32 | J.E. Vaccine | | | | 0.00 |
| 299A | 32 | Inj. Anti Snake Venum | 140 | 30 | 293.00 | 41020.00 |
| | GROUP 33 | SKIN-OINTMENTS, CREAMS, GELS, SPRAYS | | | | 0.00 |
| 300 | 33 | Povidione Iodine Powder | 0 | 0 | 0.00 | 0.00 |
| 301 | 33 | Povidione Iodine Ointment | 50 | 450 | 0.00 | 0.00 |
| 302 | 33 | Clotrimazole cream/ Gel | 1928 | 720 | 27.00 | 52056.00 |
| 303 | 33 | Betamethasone cream/oint | | | | 0.00 |
| 304 | 33 | Lotion Benzyl Benzonate | 0 | 0 | 0.00 | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf'k (4x6=7) |
|---------------------------------|-----------------|--|---------------------------------------|--------------------------------------|--------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 306 | 33 | Lotion Coal Tar | | | | 0.00 |
| 307 | 33 | Povidone Iodine Solution 500 ml. | 1735 | 10 | 67.29 | 116748.15 |
| 308 | 33 | Silver Sulphadiazine cream 25 gm | 0 | 0 | 0.00 | 0.00 |
| 310 | 33 | Onit. Clotrimazole 10mg +Beclomethasone Dipropionate 0.25mg | 6275 | 2500 | 11.04 | 69276.00 |
| 311 | 33 | Skin Ointment Containing : Salicylic Acid, Benzoic Acid, Boric Acid, Sublimed Sulphur, Paraffin Base Q.S. | 1000 | 5109 | 18.00 | 18000.00 |
| 311 | 33 | Miconazol Cream | 80 | 100 | 16.50 | 1320.00 |
| 311 | 33 | Miconazol Ointment | 100 | 300 | 16.50 | 1650.00 |
| | GROUP 34 | THYROID AND ANTI-THYROID DRUGS | | | | 0.00 |
| 312 | 34 | Tab Carbimazole | | | | 0.00 |
| 313 | 34 | Liquid Iodine | | | | 0.00 |
| 314 | 34 | Tab Thyroxine Sodium | | | | 0.00 |
| | GROUP 35 | TRANSFUSION FLUIDS AND PLASMA | | | | 0.00 |
| 315 | 35 | Inj. Dextrose 5% | 1359 | 950 | 8.92 | 12122.28 |
| 315 | 35 | Inj. Dextrose 10% | 800 | 700 | 9.34 | 7472.00 |
| 316 | 35 | Inj. Dextrose 25% | 0 | 0 | 0.00 | 0.00 |
| 317 | 35 | Inj. Dextrose In Normal Saline | 2098 | 1300 | 8.92 | 18714.16 |
| 318 | 35 | Inj. Normal Saline | 2706 | 1150 | 8.73 | 23623.38 |
| 319 | 35 | Inj. Hypertonic Saline | | | | 0.00 |
| 320 | 35 | Inj. Ringer's Lactate | 600 | 800 | 12.50 | 7500.00 |
| 321 | 35 | Inj. Mannitol 100 ml. | 300 | 100 | 0.00 | 0.00 |
| 321 | 35 | Inj. Mannitol 350 ml. | 87 | 150 | 0.00 | 0.00 |
| 322 | 35 | Inj. Paediatric Maintenance Solution With 5% Dextrose (Solution-P) | 1227 | 125 | 8.92 | 10944.84 |
| 323 | 35 | Inj. Maintenance Solution With 5% W/V Dextrose (Solution-M) | 1602 | 150 | 11.54 | 18487.08 |
| 324 | 35 | Inj. Dextran (Average Mol Weight) with 5% W/V Dextrose | | | | 0.00 |
| 325 | 35 | Inj. (IV) Plasma Volume Expander Containing : Hydroxyethyl Starch Sodium Chloride (M.Eq./Lt:Na+-154, Cl--154) | 120 | 35 | 290.00 | 34800.00 |
| 326 | 35 | Haemo Dialysis Fluid | | | | 0.00 |
| 327 | 35 | Inj Amino Acid with Taurine & Without Sorbitol | 0 | 0 | 0 | 0.00 |
| 328 | 35 | Inj.IV Containig: Polymer from degraded gelatin (Eq.to Nitrogen content of 0.63gm) Electrolyte: Sodium (Na*), Potassium (K*), Calcium (Ca**), Chloride (Cl), In Isotonic Vehicle Containing Polypeptides | | | | 0.00 |
| | GROUP 36 | MEDICINES FOR GENITO URINARY SYSTEM | | | | 0.00 |
| 329 | 36 | Liquid Disodium Hydrogen Citrate | 500 | 100 | 0.00 | 0.00 |
| 330 | 36 | Tab Tamsulosin | | | | 0.00 |
| 331 | 36 | Tab Dutasteride | | | | 0.00 |
| 332 | 36 | Glycine Solution | | | | 0.00 |
| | GROUP 37 | VITAMINS, AMINO-ACIDS & ANTI-OXIDANTS | | | | 0.00 |
| 333 | 37 | Tab Vitamin 'A' | | | | 0.00 |
| 334 | 37 | Liquid Vit A | | | | 0.00 |
| 335 | 37 | Capsule Containing : (soft gelatin Cap) Vitamin 'A' Vitamin D3 | 87000 | 13000 | 0.40 | 34713.00 |
| 336 | 37 | Cap B-Complex (Therapeutic) | 0 | 0 | 0.26 | 0.00 |
| | | Containing : | | | | 0.00 |
| | | Vitamin B ₁ | | | | 0.00 |
| | | Vitamin B ₂ | | | | 0.00 |
| | | Vitamin B ₆ | | | | 0.00 |
| | | Niacinamide | | | | 0.00 |
| | | Calcium Pantothenate | | | | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf'k (4x6=7) |
|---------------------------------|-----------------|--|---------------------------------------|--------------------------------------|--------|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 336 | 37 | Tab B-Complex (Therapeutic) | 0 | 0 | 0.00 | 0.00 |
| 337 | 37 | Tab Ascorbic Acid | | | | 0.00 |
| 338 | 37 | Cap Vitamin 'E' (Tocopherol) (soft gelatin Cap) | 0 | 0 | 0.00 | 0.00 |
| 339 | 37 | Cap Lactobacillus Sporogenes | 0 | 0 | 0.00 | 0.00 |
| 340 | 37 | Inj. Multi Vitamin Containing : | 0 | 0 | 2.49 | 0.00 |
| | | Thiamine Hydrochloride | | | | 0.00 |
| | | Riboflavine Phosphate Sodium | | | | 0.00 |
| | | Pyridoxine Hydrochloride | | | | 0.00 |
| | | Nicotinamide | | | | 0.00 |
| | | D-Panthenol | | | | 0.00 |
| | | Cyanocobalamine | | | | 0.00 |
| 341 | 37 | Liquid Oral Multi Vitamin | 0 | 0 | 0.00 | 0.00 |
| | | (Therapeutic) Containing : | | | | 0.00 |
| | | Thiamine Hydrochloride | | | | 0.00 |
| | | Riboflavine | | | | 0.00 |
| | | Pyridoxine Hydrochloride | | | | 0.00 |
| | | Cyanocobalamine | | | | 0.00 |
| 341 | 37 | Methyle Cobalmine 1ml. | 1800 | 1500 | 0.00 | 0.00 |
| 342 | 37 | Inj. L-Ornithine-1-Aspartate | | | | 0.00 |
| 343 | 37 | Tab. Mecobalamine | 2890 | 3000 | 0.33 | 953.70 |
| 344 | 37 | Inj. Potassium Chloride | | | | 0.00 |
| | GROUP 38 | GENERAL ANAESTHETICS, SPINAL ANAESTHETICS AND ALLIED DRUGS | | | | 0.00 |
| 345 | 38 | Oxygen (Type-A) | | | | 0.00 |
| 346 | 38 | Nitrous Oxide | | | | 0.00 |
| 347 | 38 | Carbon Dioxide | | | | 0.00 |
| 348 | 38 | Liquid Halothane | 10 | 0 | 430.00 | 4300.00 |
| 349 | 38 | Inj. Thiopentone Sodium | | | | 0.00 |
| 350 | 38 | Inj. Ketamine Hydrochloride | 50 | 0 | 120.50 | 6025.00 |
| 351 | 38 | Inj. Succinylcholine Chloride | 10 | 0 | 56.00 | 560.00 |
| 352 | 38 | Inj. Vecuronium Bromide | | | | 0.00 |
| 353 | 38 | Inj. Lignocaine Hydrochloride 2% 30ml. | 850 | 0 | 4.19 | 3561.50 |
| 353 | 38 | Lignocaine Gelly 30 gm. | 80 | 0 | 0.00 | 0.00 |
| 353 | 38 | Injection Containing : | | | | 0.00 |
| 353 | 38 | Lignocaine Hydrochloride | 70 | | 0 | 0.00 |
| 353 | 38 | Adrenaline Bitartarate | | | | 0.00 |
| 353 | 38 | Equivalent To Adrenaline | | | | 0.00 |
| 354 | 38 | Inj. Lignocaine Hydrochloride For Spinal Anesthesia Hyperbaric Heavy 5% | 50 | 0 | 15.70 | 785.00 |
| 354 | 38 | Inj. Lignocaine HCL Destrose Spinal Anesthesia Hyperbaric Heavy 5% | 0 | 0 | 32.40 | 0.00 |
| 355 | 38 | Inj. Bupivacaine Hydrochloride | 0 | 0 | 0.00 | 0.00 |
| 356 | 38 | Propofol 1% | 0 | 0 | 0.00 | 0.00 |
| 357 | 38 | Inj. Atracurium | | | | 0.00 |
| 358 | 38 | Inj. Fentanyl | | | | 0.00 |
| 359 | 38 | Inj. Atropine Sulphate | 1500 | 1000 | 0.00 | 0.00 |
| | GROUP 39 | DISINFECTANTS / GERMICIDAL AND INSTRUMENTS STERILISERS | | | | 0.00 |
| 360 | 39 | Liquid Containing :(a) Chlorhexidine Gluconate Solution+(b) Strong Cetrimide Solution Eq.to Cetrimide | 184 | 65 | 0.00 | 0.00 |
| 361 | 39 | Liquid Containing :Glutaraldehyde Solution (With Activator Vial)Mint Smell And Rust Inhibitor (Without Surfactant) (Use Life 14 Days After Activation) | | | | 0.00 |
| 362 | 39 | Liquid Contains : | | | | 0.00 |
| | | Povidone Iodine Solution | | | | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf' k (4x6=7) |
|---------------------------------|-----------------|--|---------------------------------------|--------------------------------------|-------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| | | Eq. To Available Iodine | | | | 0.00 |
| | | (With Emollient & Moisturiser) | | | | 0.00 |
| 363 | 39 | Tab. Chlorine | | | | 0.00 |
| 364 | 39 | Bleaching powder | | | | 0.00 |
| 365 | 39 | Formuline | | | | 0.00 |
| 366 | 39 | White soft paraffine | | | | 0.00 |
| 367 | 39 | Glycerin | 0 | 0 | 0.00 | 0.00 |
| 368 | 39 | Hydrogen per oxide solution | | | | 0.00 |
| 369 | 39 | Chlorine water | | | | 0.00 |
| 370 | 39 | Boric acid powder | 5 | 0 | 0.00 | 0.00 |
| 371 | 39 | Mercurochrome powder | 0 | 0 | 0.00 | 0.00 |
| 372 | 39 | Acriflavin powder | 0 | 0 | 65.00 | 0.00 |
| 373 | 39 | Methylene blue solution | | | | 0.00 |
| 373 | 39 | Methylene blue crystal | 0 | 0 | 0.00 | 0.00 |
| 374 | 39 | Gentionviolot 2% solution | | | | 0.00 |
| 374A | 39 | Pottacium per magnet | 2 | 0 | 0.00 | 0.00 |
| | GROUP 40 | SUTURES, DRESSING TAPES & HAEMOSTATS | | | | 0.00 |
| 375 | 40 | Boilable, with or Without Needle (Single Foil Pack) | | | | 0.00 |
| 376 | 40 | Boilable With or Without Needle (Single Foil Pack) | | | | 0.00 |
| 377 | 40 | Needle, Micropoint Spatulated in Sterile Foil Over Warp Pack (Single Needle) | | | | 0.00 |
| 378 | 40 | Monofilament Polyamide Black Double Spatulated Needle Curved, Micropoint Spatulated In Sterile Foil Overwrap Pack | | | | 0.00 |
| 379 | 40 | Monofilament Polypropylene Suture | | | | 0.00 |
| 380 | 40 | Coated Polyglactin 910 Braided Synthetic Absorbable Suture | | | | 0.00 |
| 381 | 40 | Silk Suture on cirved cutting needles | | | | 0.00 |
| 382 | 40 | Adhesive Tape | | | | 0.00 |
| 383 | 40 | Permeable woven Synthetic Adhesive Tape | | | | 0.00 |
| 384 | 40 | Semi Permeable Transparent, Sterile, Polyurethane water proof post-operative dressing with a non adherent absorbent pad and picture frame delivery system. | | | | 0.00 |
| | | | | | | 0.00 |
| | | | | | | 0.00 |
| | | | | | | 0.00 |
| 385 | 40 | Containing Oxidized Regenerated Cellulose In Sterile Foil Pack | | | | 0.00 |
| 386 | 40 | Nylon ON Curved cutting needle | | | | 0.00 |
| 387 | 40 | Hernia Mesh | | | | 0.00 |
| | | | | | | 0.00 |
| 388 | 40 | Polyglycolic Acid braided synthetic absorbable suture | | | | 0.00 |
| 389 | 40 | Non-woven viscose rayon porous backing tape with Synthetic Copolymer Acrylate Hypoallergic Adhesive | | | | 0.00 |
| | GROUP 41 | Other Items | | | | 0.00 |
| 390 | 41 | Plaster of Paris /Kg. | 350 | 150 | 27.00 | 9450.00 |
| 391 | 41 | Magsulf | 0 | 0 | 0.00 | 0.00 |
| 392 | 41 | Lysol | | | | 0.00 |
| 392 | 41 | Water for Inj. | 8470 | 0 | 0.00 | 0.00 |
| 393 | 41 | Terpentine Oil | | | | 0.00 |
| 394 | 41 | Plaster bandages BFC/USP BF 10 pack in tin container | | | | 0.00 |
| 395 | 41 | No. 12, 14, 16, 18, 24 | | | | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf' k (4x6=7) |
|---------------------------------|----------|---|---------------------------------------|--------------------------------------|----|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 396 | 41 | I.V. Set: Infusion set for single use (I.V. set) I.S. No. | | | | 0.00 |
| 397 | 41 | Scalp vein set: | | | | 0.00 |
| | | 1. The set should be made of special medical grade non | | | | 0.00 |
| | | 2. It should be sterilised in a polythene pack of 300 gauge | | | | 0.00 |
| | | 3. The pack should be sealed at the both end one cm | | | | 0.00 |
| | | 4. The length of tube should be 30 cm | | | | 0.00 |
| | | 5. The adopter ((Mouth) should be made of flexible | | | | 0.00 |
| | | 6. The quality of tubing should be flexible non toxic | | | | 0.00 |
| | | 7. The needle should be provided with a flexible cap to | | | | 0.00 |
| | | 8. The adopter should be provided with well fitting | | | | 0.00 |
| 398 | 41 | Intra venous cannuala in single blister packing | | | | 0.00 |
| | | A) With injection value Catheter size | | | | 0.00 |
| | | 16 Gauge Length 45 mm | | | | 0.00 |
| | | 18 Gauge Length 45 mm | | | | 0.00 |
| | | 20 Gauge Length 32 mm | | | | 0.00 |
| | | B) With integrated three way stop cock catheter size | | | | 0.00 |
| | | 16 Gauge Length 45 mm | | | | 0.00 |
| | | 18 Gauge Length 45 mm | | | | 0.00 |
| | | 20 Gauge Length 32 mm | | | | 0.00 |
| | | 22 Gauge Length 25 mm | | | | 0.00 |
| | | C) Without stop cock catheter size | | | | 0.00 |
| | | 16 Gauge Length 45 mm | | | | 0.00 |
| | | 18 Gauge Length 45 mm | | | | 0.00 |
| | | 20 Gauge Length 32 mm | | | | 0.00 |
| | | 22 Gauge Length 25 mm | | | | 0.00 |
| | | D) For Neonates catheter size | | | | 0.00 |
| | | 24 Gauge Length 45 mm | | | | 0.00 |
| | | E) With safety guard size | | | | 0.00 |
| | | 16 Gauge Length 45 mm | | | | 0.00 |
| | | 18 Gauge Length 45 mm | | | | 0.00 |
| | | 20 Gauge Length 32 mm | | | | 0.00 |
| | | 22 Gauge Length 25 mm | | | | 0.00 |
| 399 | 41 | Disposable syringe (IS No. 10258-82) along with | | | | 0.00 |
| | | Each syringe should separately HDPE card board packing | | | | 0.00 |
| | | Needle should be properly protected. The product and | | | | 0.00 |
| 400 | 41 | Gauze & Bandage. | | | | 0.00 |
| 401 | 41 | Absorbant Cotton Surgical | | | | 0.00 |
| 402 | 41 | Blood Bank Items such as: | | | | 0.00 |
| | | A) Blood collection Bag : | | | | 0.00 |
| | | 1. 350 ml blood bag with 49 ml PRA/CPDA-ICPDA- | | | | 0.00 |
| | | 2. It should have non peel off label | | | | 0.00 |
| | | 3. It should have stumper evident as integrated part. | | | | 0.00 |
| | | 4. 16 G needle with ultra thin wall breakaway | | | | 0.00 |
| | | 5. Independent sterility testing report from Govt. | | | | 0.00 |
| | | 6. Tube length should be about 100 cms with | | | | 0.00 |
| | | 7. Tube with easily knot ability and sealing with die | | | | 0.00 |
| | | 8. Anti coagulant solutions should be as per | | | | 0.00 |
| | | 9. Solution should be sterile, HIV, Hepatitis B & C | | | | 0.00 |
| | | 10. Rate to be quoted separately for (i) 100 ml blood | | | | 0.00 |
| | | B) Blood grouping sera : | | | | 0.00 |
| | | 1. Should be monoclonal agglutinating sera | | | | 0.00 |
| | | 2. Should be HIV and pyrogen free | | | | 0.00 |
| | | 3. Acceptable 1:256 | | | | 0.00 |
| | | 4. Pack | | | | 0.00 |
| | | Anti A 5 ml 10 ml Pack | | | | 0.00 |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vllr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vllr ea mi yC/k vkskf/k dh /kujkf'k (4x6=7) |
|---------------------------------|----------|--|---------------------------------------|--------------------------------------|----|--|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| | | Anti B 5 ml 10 ml Pack | | | | 0.00 |
| | | Anti AB 5 ml 10 ml Pack | | | | 0.00 |
| | | Anti B-1 5 ml 10 ml Pack | | | | 0.00 |
| | | C) Rh Grouping Sera: | | | | 0.00 |
| | | 1. Monoclonal agglutinating sear for Rh typing. | | | | 0.00 |
| | | 2. Should be HIV and pyrogen free | | | | 0.00 |
| | | 3. Acceptable – 1:32 | | | | 0.00 |
| | | 4. Packs | | | | 0.00 |
| | | (a) 1g M anti D monoclonal reagent 5 ml & 10 ml | | | | 0.00 |
| | | (b) 1 g M and 1 g G anti D monoclonal reagent 5 ml & 10 ml | | | | 0.00 |
| | | (c) 1 g M anti D monoclonal and 1 g G anti D pliclonal | | | | 0.00 |
| | | (d) Anti D sera to detect RhO/Du antigen | | | | 0.00 |
| | | D) HCV Elisa Test Kit: | | | | 0.00 |
| | | a) Should have CORE E1/E2 C-200 (NSB, NS 4a & 4 b) | | | | 0.00 |
| | | b) Sensitivity-98%, specificity -95% | | | | 0.00 |
| | | c) HIV Elisa Test Kit | | | | 0.00 |
| | | d) HBs Ag Elisa Test Kit | | | | 0.00 |
| | | E) HIV Rapid Test Kit : | | | | 0.00 |
| | | 1- Time upto 30 minutes provisions shall be made for | | | | 0.00 |
| | | 2- Sensitivity-99.5%, specificity-98% | | | | 0.00 |
| | | E) HCV Rapid Test Kit | | | | 0.00 |
| | | F) HBs Ag Rapid Test Kit | | | | 0.00 |
| 403 | 41 | Dental Medicine and Material such as : | | | | 0.00 |
| | | (i) Tr. Ferri | | | | 0.00 |
| | | (ii) Zinc Oxide | | | | 0.00 |
| 404 | 41 | Micro Drip Set | | | | 0.00 |
| 405 | 41 | Insuline Syringe fixed needle | | | | 0.00 |
| List of Emergency Drugs | | | | | | |
| 1 | | Inj. Adrenaline | | | | |
| 2 | | Inj. (IV) Aminophylline | | | | |
| 4 | | Inj. (IV) Polyvalent Anti Snake Venom Serum | | | | |
| 6 | | Inj. Atropine Sulphate | | | | |
| 7 | | Inj. Calcium Gluconate | | | | |
| 8 | | Inj. Chloroquine Phosphate | | | | |
| 9 | | Inj. Hestar | | | | |
| 10 | | Inj. (IM/IV) Diazepam | | | | |
| 12 | | Inj. Dopamine Hydrochloride | | | | |
| 13 | | Inj. (IM/IV) Frusemide | | | | |
| 14 | | Inj. Dextrose In Normal Saline | | | | |
| 15 | | Inj. Glyceryl Trinitrate | | | | |
| 16 | | Inj. Dextrose 25% | | | | |
| 17 | | Inj. Haloperidol | | | | |
| 18 | | Inj Low Mol Wt Heparin(enoxaparin) | | | | |
| 19 | | Inj. (IM/IV) Hydrocortisone Sodium Succinate | | | | |
| 20 | | Inj. Lignocaine Hydrochloride 2% | | | | |
| 21 | | Inj. Soluble Human Insulin | | | | |
| 22 | | Inj. Magnesium Sulphate | | | | |
| 23 | | Inj. Mannitol 100/350 m.l. | | | | |
| 24 | | Inj. Metoclopramide Hydrochloride | | | | |
| 25 | | Inj. Pentazocine Lactate | | | | |
| 26 | | Inj Pheniramine Maleate | | | | |
| 27 | | Inj. Neostigmine Methyl Sulphate | | | | |
| 28 | | Inj. Phenobarbitone Sodium | | | | |
| 29 | | Inj. Phenytoin Sodium | | | | |

| S. No.of drug as in master list | Group No | Name of Medicine | ekg ds vlr eami yC/k vkskf/k dh ek=k | ekg ea iz ks dh x; h vkskf/k dh ek=k | nj | ekg ds vlr ea mi yC/k vkskf/k dh /kujkf'k (4x6=7) |
|---------------------------------|----------|--|--------------------------------------|--------------------------------------|--------------|---|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 30 | | Inj. Potassium Chloride | | | | |
| 31 | | Inj. Ringer's Lactate | | | | |
| 33 | | Inhaler Beclomethasone Dipropionate (MDI) | | | | |
| 35 | | Inj. Sodium Bicarbonate | | | | |
| 36 | | Inj. Streptokinase | | | | |
| 38 | | Inj. Vitamin K | | | | |
| 39 | | Inj. Promethazine Hydrochloride | | | | |
| 40 | | Inj. Ranitidine Hydrochloride | | | | |
| 41 | | Inj Ceftriaxone 250mg./1 gm. | | | | |
| 42 | | Inj. Mephentermine Sulphate | | | | |
| 43 | | Inj. Doxapram | | | | |
| 44 | | Injection Containing : Theophylline+Etofylline | | | | |
| 45 | | Inj Diclofenac Sodium | | | | |
| 46 | | Inj. Nor Adernline | 5 | 0 | | 0.00 |
| 47 | | Inj. PAM | 6 | 4 | 0.00 | 0.00 |
| 48 | | Asthalin Respuls | 145 | 35 | 1.51 | 218.95 |
| 49 | | Duline Respuls | 90 | 30 | 10.00 | 900.00 |
| 50 | | Water For Inj. | | | | |
| | | | | | Total | 2978077.17 |